

Department of Health

COVID-19 Update




July 8, 2022

Charlotte Update

- Charlotte county classified as high transmission by CDC as of 7/8.
- Sustained transmission approximately 76 cases a day.
- No new variant of concern.
- Omicron continues to be dominant strain.
- Still seeing elevated levels of influenza compared to prior years.
- New weekly case Positivity 20.5%
- State Average 19.4%
- CDC page reflects 26.09%
- Current case rate 262.03 per 100,000
- Vaccine approved for children 5 and under.
- 150,787 vaccinated at least one dose. (79.8% of population)
- 125,118 fully vaccinated.
- Continue to monitor high risk populations for unmet needs.
- Ongoing site visits and support for nursing homes.
- No shortages of vaccines, PPE, and tests.

Treatment Options



- Multiple Oral antiviral sites
- 2 Hospitals with Monoclonals
- PCR testing at FDOH bldg.
- Continuing infection control visits and response teams for facilities.
- Vaccine and monoclonal support for Long term facilities.

<https://floridahealthcovid19.gov/treatments/treatmentlocator/>

Charlotte Status

High

What Prevention Steps Should You Take Based on Your COVID-19 Community Level?

Low	Medium	High
<ul style="list-style-type: none">• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms	<ul style="list-style-type: none">• If you are <u>at high risk for severe illness</u>, talk to your healthcare provider about whether you need to wear a mask and take other precautions• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms	<ul style="list-style-type: none">• Wear a <u>mask</u> indoors in public• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms• Additional precautions may be needed for people <u>at high risk for severe illness</u>

People may choose to mask at any time. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask. Masks are required on public transportation and may be required in other places by local or state authorities.


COVID Cases

Cases & Deaths in Charlotte County, Florida

Data through Wed Jul 06 2022

Total Cases	495
Case Rate (last 7 days)	262.03
% Change (last 7 days)	6.45

Total Deaths	<10
Death Rate (last 7 days)	suppressed
% Change (last 7 days)	100



Testing

Testing in Charlotte County, Florida

Data through Mon Jul 04 2022

% Positivity	26.09
% Change (last 7 days)	-0.27

Data through Thu Jun 30 2022

Tests Performed	1291
Test Rate (last 7 days)	663.03
% Change (last 7 days)	3.53

Tue, Jan 21st 2020 - Wed, Jul 6th 2022

Use slider to update time series chart



7-day Percent Positivity



Daily Tests Performed - 7-Day Moving Average



Hospitalizations


Hospitalizations in Charlotte County, Florida

Data through Tue Jul 05 2022

New admissions of confirmed COVID-19 among county residents (estimated)	49
New admissions of confirmed COVID-19 per 100,000 population (last 7 days)	26
% Change in new admissions of confirmed COVID-19 from previous 7 days	10.30

% Staffed inpatient beds in use by patients with confirmed COVID-19	7
Absolute change, % staffed inpatient beds in use by patients with confirmed COVID-19 from previous 7 days	0.7

% Staffed ICU beds in use by patients with confirmed COVID-19	5.8
Absolute change, % staffed ICU beds in use by patients with confirmed COVID-19 from previous 7 days	-0.4



Children Vaccines Available

COVID-19 Vaccine Dosage Is Based on Age on the Day of Vaccination, Not on Size or Weight

Children get a smaller dose of COVID-19 vaccine than teens and adults that is the right amount for their age group.

COVID-19 primary series vaccination for children and teens

Child's Age	Pfizer-BioNTech	Moderna	J&J/Janssen
6 months–4 years old	3 dose primary series	2 dose primary series	Not authorized
5 years old	2 dose primary series	2 dose primary series	Not authorized
6–17 years old	2 dose primary series	Not authorized	Not authorized

For more information on COVID-19 vaccines and dosage for children and teens, visit:

- [Pfizer-BioNTech COVID-19 Vaccine Overview and Safety](#)
- [Moderna COVID-19 Vaccine Overview and Safety](#)

<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/booster-shot.html#when-you-can-get-booster>

Strategy/Updates

Who Can Get a Booster

ELIGIBLE FOR 1 Booster

Everyone ages 12 years and older can get 1 booster after completing their [COVID-19 vaccine primary series](#).

Learn when you can get your 1st booster below.

ELIGIBLE FOR 2 Boosters

- Adults ages 50 years and older
- People ages 12 years and older who are [moderately or severely immunocompromised](#)
- People who got 2 doses (1 primary dose and 1 booster) of Johnson & Johnson's Janssen vaccine

Learn when you can get your 2nd booster below and [what you should consider](#).

- CDC updates community level guidelines based upon transmission of COVID-19.
 - CDC County Check tool added to web.
- Multiple therapeutics available on state web page.
- Continue testing and vaccination strategies.
- Additional booster available.
- Continue rapid Infection control assessments.
- Vaccination efforts continue. (75% total pop 5+)
- Continued focus on ILI and respiratory illnesses.
- Continue to monitor unmet needs and respond appropriately.
- Federal site for home tests.
<https://www.covidtests.gov/>

CDC Guidance

When to Stay Home

Calculating Quarantine

The date of your exposure is considered day 0. **Day 1 is the first full day after your last contact with a person who has had COVID-19.** Stay home and away from other people for at least 5 days. [Learn why CDC updated guidance for the general public.](#)

IF YOU
Were exposed to COVID-19 and are **NOT up to date** on COVID-19 vaccinations

Quarantine for at least 5 days

Stay home

Stay home and [quarantine](#) for at least 5 full days.

Wear a [well-fitting mask](#) if you must be around others in your home.

[Do not travel.](#)

Get tested

Even if you don't develop symptoms, [get tested](#) at least 5 days after you last had [close contact](#) with someone with COVID-19.

IF YOU
Were exposed to COVID-19 and are **up to date** on COVID-19 vaccinations

No quarantine

You do not need to stay home **unless** you develop symptoms.

Get tested

Even if you don't develop symptoms, [get tested](#) at least 5 days after you last had [close contact](#) with someone with COVID-19.

IF YOU
were exposed to COVID-19 and had confirmed COVID-19 within the past 90 days (you tested positive using a viral test)

No quarantine

You do not need to stay home **unless** you develop symptoms.

After quarantine

Watch for [symptoms](#)

Watch for symptoms until 10 days after you last had close contact with someone with COVID-19.

Avoid travel

It is best to [avoid travel](#) until a full 10 days after you last had close contact with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a [well-fitting mask](#) around others.

Watch for symptoms

Watch for [symptoms](#) until 10 days after you last had close contact with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a [well-fitting mask](#) around others.

Watch for symptoms

Watch for [symptoms](#) until 10 days after you last had [close contact](#) with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a well-fitting mask around others.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

If you must travel during days 6-10, take precautions.

Avoid being around people who are more likely to get very sick from COVID-19.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

Take precautions if traveling

Avoid being around people who are more likely to get very sick from COVID-19.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

Take precautions if traveling

Avoid being around people who are more likely to get very sick from COVID-19.

Calculating Isolation

Day 0 is your first day of symptoms or a positive viral test. **Day 1 is the first full day after your symptoms developed or your test specimen was collected.** If you have COVID-19 or have symptoms, isolate for at least 5 days.

IF YOU
Tested positive for COVID-19 or have symptoms, regardless of vaccination status

Stay home for at least 5 days

Stay home for 5 days and [isolate](#) from others in your home.

Wear a [well-fitting mask](#) if you must be around others in your home.

[Do not travel.](#)

Ending isolation if you had symptoms

[End isolation after 5 full days](#) if you are fever-free for 24 hours (without the use of fever-reducing medication) and your symptoms are improving.

Ending isolation if you did NOT have symptoms

[End isolation after at least 5 full days](#) after your positive test.

If you got very sick from COVID-19 or have a weakened immune system

You should isolate for at least 10 days. [Consult your doctor before ending isolation.](#)

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a mask.

Do not travel

[Do not travel](#) until a full 10 days after your symptoms started or the date your positive test was taken if you had no symptoms.

Avoid being around people who are more likely to get very sick from COVID-19.

CDC Healthcare Worker Guidance

Work Restrictions for HCP With SARS-CoV-2 Infection and Exposures

“Up to Date” with all recommended COVID-19 vaccine doses is defined in [Stay Up to Date with Your Vaccines | CDC](#)

For more details, including recommendations for healthcare personnel who are immunocompromised, have severe to critical illness, or are within 90 days of prior infection, refer to [Interim Guidance for Managing Healthcare Personnel with SARS-CoV-2 Infection or Exposure to SARS-CoV-2](#) (conventional standards) and [Strategies to Mitigate Healthcare Personnel Staffing Shortages](#) (contingency and crisis standards).

Work Restrictions for HCP With SARS-CoV-2 Infection

Vaccination Status	Conventional	Contingency	Crisis
Up to Date and Not Up to Date	10 days OR 7 days with negative test [†] , if asymptomatic or mild to moderate illness (with improving symptoms)	5 days with/without negative test, if asymptomatic or mild to moderate illness (with improving symptoms)	No work restriction, with prioritization considerations (e.g., types of patients they care for)

Work Restrictions for Asymptomatic HCP with SARS-CoV-2 Exposures

Vaccination Status	Conventional	Contingency	Crisis
Up to Date	No work restrictions, with negative test on days 1 [‡] and 5-7	No work restriction	No work restriction
Not Up to Date	10 days OR 7 days with negative test [†]	No work restriction with negative tests on days 1 [‡] , 2, 3, & 5-7 (if shortage of tests prioritize Day 1 to 2 and 5-7)	No work restrictions (test if possible)

[†]Negative test result within 48 hours before returning to work

[‡]For calculating day of test: 1) for those with infection consider day of symptom onset (or first positive test if asymptomatic) as day 0; 2) for those with exposure consider day of exposure as day 0



CS328856-A | 01/07/2022

cdc.gov/coronavirus

